

IMPORTER, EXPORTER, STOCKIEST & DISTRIBUTOR OF
FERROUS & NON-FERROUS METALS



**VIVID STEEL
& ENGINEERING**



Certificate of Registration

This is to certify that

VIVID STEEL & ENGINEERING CO.

REGISTERD ADDRESS:- 2ND FLOOR, FLAT NO.9A, 25 TARA BHAVAN, 3RD
KHETWADI LANE, NANUBHAI DESAI ROAD MUMBAI, MUMBAI CITY,
MAHARASHTRA, 400004, INDIA.

Has been assessed and found in as per ISO 9001:2015 compliance to the requirement of standard details below.

ISO 9001:2015

(QUALITY MANAGEMENT SYSTEM)

For The Following Scope Of Activities:

MANUFACTURING AND SUPPLY OF SHEETS, PLATES, COILS, PIPES, STRUCTURAL STEEL, TMT
BARS, ROUND BARS, FITTINGS, VALVES IN CARBON STEEL, ALLOY STEEL, STAINLESS STEEL,
ALUMINIUM, COPPER, NICKEL ALLOYS AND SPECIAL GRADES.

This certificate is property of Unitas Certification Services & remains valid subject to satisfactory surveillance Audit

Certificate No: 2345918

Surveillance Date:- (27-MAR-2026)

Registration Date:- (28-APR-2025)

Certificate Expiry:- (27-MAR-2028)



Chairman
Unitas Certification Services



The certificate is valid as long the organization's meet Unitas certification servicer's requirements.

The status of the certificate may be checked at www.unitascertificationservices.co.uk

UNITAS CERTIFICATION SERVICES


Head Office: 54 Ennerdale Close, Lake, Estate, Bletchley, Milton Keynes, Buckinghamshire, Mk2 3DQ-UK
Email: info@unitascertificationservices.co.uk



CONTENTS

- 01 ABOUT US
- 02 QUALITY POLICY
- 03 SHEETS, COILS & PLATES
- 04 BARS & RODS
- 05 PIPES & TUBES
- 06 FITTINGS & FLANGES
- 07 NICKEL ALLOYS
- 08 OUR WORK THAT SPEAKS
EXCELLENCE
- 09 CONTACT US





ABOUT US

Vivid Steel & Engineering has grown to become one of the most prominent importer and stockiest of High Nickel Alloys like Hastelloy, Inconel, Monel, Duplex & Super Duplex, Stainless Steel, Carbon Steel and Structural Steel in India. We carry a full range of Sheets, Plates, Pipes, Tubes, Bars, Rods, Angles, Coils, Fittings & Flanges.

We are the resource partner for MNCs, Semi-Government and Private companies. Our clientele include highly reputed corporates from chemical, cement, construction and oil & gas industries. Our warehouse is based in Mumbai, Delhi and Gujarat. Our strong networking with the mills helps in timely dispatch of materials all across India. We are committed to maintain top quality, reliable delivery schedules, competitive pricing and excellent relationships with our customers.

VISION

To be a valued partner of high-performance materials and services that deliver seamless customer experiences.

SERVICES WE OFFER

DISTRIBUTION & SUPPLY
IMPORT
PROJECT EXPORT
MANUFACTURING

QUALITY POLICY

As part of VSE's comprehensive Quality Control program, there have been targeted investments in the equipments and machines to ensure all our orders are duly fulfilled.



Our 3 Layered Process

Quality Assurance

- Product Certificate Confirmation
- Finish and Dimensional Check
- Laboratory Material Sample Testing

Inspection

Testing



Vivid Steel & Engineering has a dedicated team that takes care of rigorous quality management from placing the order to the receipt right through the shipping, hence, the entire process control is implemented systematically.

A section from each material is sent for sample testing to government approved, NABL accredited and ISO certified laboratories to undergo chemical and physical tests to ensure that the product is conforming to the requirements of the client.

METALLURGICAL TESTS

EDDY CURRENT TEST

HARDNESS TEST

RADIOGRAPHY

FLATTENING TEST

PMI TEST

DRIFT TEST

DIMENSIONAL INSPECTION


STRESS CORROSION TESTING

PNEUMATIC TESTING

HYDROSTATIC TESTING

SHEETS, COILS & PLATES

in Hastelloy, Inconel, Monel, Duplex, Super Duplex, Stainless Steel and Carbon Steel



STAINLESS STEEL PLATES, SHEETS & COILS

| PRODUCT | STANDARDS | GRADES | SIZE RANGE |
|--|------------|--|--|
| SHEET, PLATES, COILS, FLAT, STRIPS, PROFILE, BLANK, CIRCLE, RING, WASHERS | ASTM- A240 | 304, 304 H, 304 L, 309, 310, 310S, 316, 316 L, 316 Ti, 317, 317L, 321, 321 H, 347, 347 H, 409, 410, 420, 430, 431, 446, 441, 444 253 MA, 17-4PH, 904L, DUPLEX ,SUPER DUPLEX UNS S31803, S32205, S32750, S32760 | THICKNESS : 0.5mm TO 200mm WIDTH : 1000mm TO 2500mm LENGTH : 2500mm TO 12500mm |

HIGH NICKEL ALLOY PLATES, SHEETS & COILS

| PRODUCT | STANDARDS & GRADES | SIZE RANGE |
|----------------------------|---|--|
| NICKEL ALLOY PLATES | ASTM / ASME SB 162/127/424/168/443/574/462 GR : NICKEL 200, NICKEL 201, MONEL 400, ALLOY 20 / 20 CB 3, INCONEL 825, INCONEL 600, INCONEL 601, INCONEL625, INCONEL718, HASTELLOY C 276, C22 | THICKNESS : 3mm TO 100mm WIDTH : 1000mm TO 2500mm LENGTH : 2500mm TO 12500mm |

TITANIUM PLATES, SHEETS & COILS

| PRODUCT | STANDARDS | GRADES | SIZE RANGE |
|-----------------------|-----------|---|----------------|
| TITANIUM ALLOY | ASTM B265 | Gr. 1, Gr. 2, Gr. 4, Gr. 5, Gr. 7, Gr. 9 & Gr. 12 | 0.5 MM TO 12MM |

CARBON STEEL PLATES, SHEETS & COILS

| PRODUCT | STANDARDS & GRADES | SIZE RANGE |
|--|---|--------------------------|
| CARBON STEEL / MILD STEEL / BOILER QUALITY / GALVANIZED STEEL / P.P.G.I SHEETS & PLATES | ASTM A 588 Grade B, A 606, A 242 ASTM A285 Grade A, B, C ASTM A515 Grade 55, 60, 65, 70 ASTM A516 Grade 55, 60, 65, 70 ASTM A537 Class 1, 2 ASTM A36 ASTM A572 Grade 42, 50, 65 ASTM A203 Grade A, B, C ASTM A204 Grade A, B, C API-2H Grade 50, NAXTRA 70, SAILMA 350, 450 ASTM A387 Grade 5, 9, 11, 12, 22, 91Class 1 & 2 IS 2062, EN 8, C 45 | THICKNESS : 1mm TO 300mm |

ALLOY STEEL PLATES, SHEETS & COILS

| PRODUCT | STANDARDS & GRADES | SIZE RANGE |
|------------------------------|---|--|
| ALLOY STEEL PLATE | ASTM / ASME A/SA 387 GR : 11, 12, 22, 91 16Mo3, 15Mo3 | THICKNESS : 3mm TO 300mm WIDTH : 1000mm TO 2500mm LENGTH : 2500mm TO 12500mm |
| BOILER PLATE | SA 516 Gr.60/70 | |
| HIGH SPEED STEEL | GR : M2, M3, M35, M42 | |
| HCHCR | GR : D2, D3 | |
| WEAR RESISTANT PLATES | 200BHN (JSPL HARD, SAIL HARD, EVONITH HARD) 400BHN, 450BHN, 500BHN, 600BHN (HARDOX, ABREX, JFE, ROCKHARD, ROCKSTAR, SUMIHARD, NM) | |

COPPER STEEL PLATES, SHEETS & COILS

| PRODUCT | STANDARDS & GRADES | SIZE RANGE |
|---|---|--|
| COPPER COILS | C12200 - (DHP) High Phosphorus Deoxidised Tough Pitch Copper | 3/6" OD to 7/8" OD THICKNESS : 0.508 mm LENGTH : 15 mtr to 100 mgr |
| COPPER PLATES Coils, Foils, Rolls, Plain Sheet, Shim Sheet, Strip, Flats | ASTM / ASME SB 62 | THICKNESS : 3 mm to 100 mm WIDTH : 1000 mm X 2000 mm LENGTH : 2000 mm TO 4000 mm |

ALUMINIUM STEEL PLATES, SHEETS & COILS

| PRODUCT | STANDARDS & GRADES | SIZE RANGE |
|--------------------------------------|---|---|
| ALUMINIUM SHEETS & PLATES | ASTM B209, ASME SB209 GR 1050, 1100, 3003, 5052, 5083, 6061 and 7075 | THICKNESS : 1 mm to 500 mm WIDTH : 100 mm X 2600 mm LENGTH : 500 mm TO 10000 mm |

FORMS

Foils, Shim Sheet, Rolls, Perforated Sheet, Chequered Plate

FINISH

2B, 2D, Satin (Matt with Plastic Coated), Hot rolled plate (HR), Cold rolled sheet (CR)

ADDITIONAL SERVICES

Profile Cutting, Bending, Forging, Rolling, Heat Treatment and Minor Fabrication

BARS & RODS

in Hastelloy, Inconel, Monel, Duplex, Super Duplex, Stainless Steel and Carbon Steel



STAINLESS STEEL BARS & RODS

| PRODUCT | TYPE | STANDARDS | GRADES | SIZE RANGE |
|-------------------------------|------------------|---|--|------------------------|
| BARS, RODS & WIRES | BLACK AND BRIGHT | ASTM A-276, A-314, A-582, A-479, A-A484 | 304, 304 H, 304 L, 309, 310, 310S, 316, 316 L, 316 TI, 317, 317L, 321, 321 H, 347, 347 H, 409, 410, 420, 430, 431, 446, 441, 444 253 MA, 17-4PH, 904L, Duplex, Super Duplex UNS S31803, S32205, S32750, S32760 | DIA : 0.10mm TO 1000mm |

CARBON STEEL BARS & RODS

| PRODUCT | STANDARDS | SIZE RANGE |
|--------------------------------------|---|--|
| TMT | FE 425 - 550D | DIA : 3 MM TO 600 MM LENGTH : 5 TO 12 MTR |
| CARBON STEEL BARS | IS 2062 Grade A, B, C | |
| ALLOY STEEL BARS | ASTM A 105, LF 2, EN-31, EN-36, EN-45, EN-47, BS 970 EN-8, EN-9, EN-19, EN-24, EN-30, ASTM A 182 F5, F9, F11, F22, F91 | |
| OFFSHORE OIL FIELD STEEL BARS | H10, H11, H13, H14, H16, H19, D1, D2, D3, D4, D5, D7, AISI S7, P20, DIN 1.2311, P20+Ni i.e. DIN 1.273817-4 PF i.e. AISI 630, 4130, 420, 410 | |

HIGH NICKEL ALLOY BARS AND ROD

| PRODUCT | STANDARDS | GRADES | SIZE RANGE |
|------------------------------------|--|---|-----------------------|
| NICKEL ALLOY WIRES AND BARS | ASTM /ASTM-564, 574, 408, 446, 163, 164, 160 | GR : NICKEL 200, NICKEL 201, MONEL 400, ALLOY 20 / 20 CB 3, INCONEL 825, INCONEL 600, INCONEL 601, INCONEL625, INCONEL718, HASTELLOY C 276, C22 | DIA : 0.1 MM TO 300MM |

TITANIUM BARS AND ROD

| PRODUCT | STANDARDS | GRADES | SIZE RANGE |
|--------------------------------|-----------|---|------------------------|
| TITANIUM WIRES AND BARS | ASTM B348 | Gr. 1, Gr. 2, Gr. 4, Gr. 5, Gr. 7, Gr. 9 & Gr. 12 | DIA : 0.1 MM TO 300 MM |

FORMS

Round Bars, Square Bars, Wire Rods, Hexagons, Rectangles, Triangles, I-Bars

PIPES & TUBES

in Hastelloy, Inconel, Monel, Duplex, Super Duplex, Stainless Steel and Carbon Steel



Stainless Steel Pipes & Tubes

| PRODUCT | TYPE | STANDARDS | GRADES | SIZE RANGE |
|---------|--------------------|--|--|--|
| PIPES | SEAMLESS | ASTM A-312, A-213, A-269, A-268 | 304, 304 H, 304 L, 309, 310, 310S, 316, 316 L, 316 TI, 317, 317L, 321, 321 H, 347, 347 H, 409, 410, 420, 430, 431, 446, 441, 444 | 1/4" NB TO 36" NB SCH : 5, 10, 20, 40, 60, 80, 160, XXS |
| | WELDED ERW/EFW | ASTM A-312, A-778, A-249, A-269, A-270, A-668, A-249, A-554, A-358, IS 13316 | 253 MA, 17-4PH, 904L, Duplex, Super Duplex UNS S31803, S32205, S32750, S32760 | 1/4" NB TO 48" NB SCH : 5, 10, 20, 40, 60, 80, 160, XXS |
| TUBES | SEAMLESS WELDED | ASTM A-269, A-213, A-249 | | 6.30 MM OD TO 152.4 MM OD THICKNESS : 0.6 MM TO 3 MM |

High Nickel Alloy Pipes & Tubes

| PRODUCT | STANDARDS & GRADES | SIZE RANGE |
|--------------------|---|---|
| Nickel Alloy Pipes | ASTM / ASME SB 161/165/464/423/167/444/517/622/619/626 GR : NICKEL 200, NICKEL 201, MONEL 400, ALLOY 20 / 20 CB 3, INCONEL 825, INCONEL 600, INCONEL 601, INCONEL625, INCONEL718, HASTELLOY C 276, C22 | 1/4" NB TO 36" NB SCH : 10S TO XXS |
| Nickel Alloy Tubes | ASTM / ASME SB 163/165/167/464/517/619/622/626/704/705 GR : NICKEL 200, NICKEL 201, MONEL 400, ALLOY 20 / 20 CB 3, INCONEL 825, INCONEL 600, INCONEL 601, INCONEL625, INCONEL718, HASTELLOY C 276, C22 | 6.35mm OD TO 101.6mm OD SWG : 20, 18, 16, 12, 10 |

Titanium Pipes & Tubes

| PRODUCT | STANDARDS | GRADES | SIZE RANGE |
|-------------------------------------|---|---|--|
| Titanium Alloy SEAMLESS / ERW / EFW | ASTM B 337 ASME SB 337 / ASTM B 338 ASME SB 338 | Gr. 1, Gr. 2, Gr. 4, Gr. 5, Gr. 7, Gr. 9 & Gr. 12 | 2mm OD TO 152mm OD SWG : 24, 22, 20, 18, 16, 14, 12, 10 ½ NB TO 24 NB SCH 10S, 40S, 80S, 160S, XXS. |

Alloy Steel & Carbon Steel Pipes & Tubes

| PRODUCT | STANDARDS | SIZE RANGE |
|-------------------------------------|---|---|
| Alloy Steel Pipes | ASTM / ASME A 335 GR : P1, P5, P9, P11, P12, P22, P23, P91 | 15 NB TO 600 NB SCH : 10S TO XXS |
| Alloy Steel Tubes | ASTM / ASME A/SA 213 GR : T9, T11, T12, T22, T91 | 6.35mm OD TO 101.6mm OD SWG : 20, 18, 16, 12, 10 |
| Carbon Steel | ASTM/ASME A 53 GR. A & B, ASTM A 106 GR. A, B & C. API 5L GR. B, API 5L X 42, X 60, X 65, X 70 | 15 NB TO 600 NB SCH : 40S TO XXS |
| Low Temperature Carbon Steel | ASTM A 333, GR 1 TO 6 (IBR & NON IBR) | 200 NB TO 600 NB SCH : 20 TO 160 |
| Mild Steel/GI | IS 1239 CLASS A, B & C IS 3589 (FE 330/FE410) | 15 NB TO 150 NB 200 NB TO 600 NB THICKNESS : 4.85mm TO 12.7mm |

Non-Ferrous Pipes & Tubes

| PRODUCT | STANDARDS | SIZE RANGE |
|---------------------------------|---|--|
| BRASS, ALUMINIUM | IS, BS, ASTM | 2mm OD TO 152mm OD SWG : 24, 22, 20, 18, 16, 14, 12, 10 |
| Copper Pipes & Tubes | ASTM / ASME SB 1111 GR : UNS NO. C 10100, 10200, 10300, 10800, 12000, 12200, 70600, 71500, 71640 ASTM / ASME SB 466 GR : UNS NO C. 70600 (CU-NI 90/10), C 71500 (CU-NI- 70/30) | (3/16") 4.76mm to (4.1/8") 104.78mm THICKNESS : 0.3 mm to 20 mm |
| Cupro-Nickel Tubes | ASTM / ASME SB 111 GR : UNS NO C. 70660 (CU-NI- 90/10) / C 71500 (CU-NI-70/30) / C71640 (CU-NI- 66/30/2/2) | 6.35mm OD TO 101.6mm OD SWG : 20, 18, 16, 12, 10 |

FORMS

Round, Square, Rectangular, Oval Elliptical, Flatside Elliptical

LENGTH

Single, Double Random, Cut to Length

ENDS

Plain End, Beveled End, Threaded

COATING ON PIPE

Epoxy Fusion Bonded Epoxy Coating

Three Layer Polyethylene Coating

Coal Tar Enamel Coating

Cement Mortar Lining Coating

Concrete Weight Coating

ADDITIONAL SERVICES

Hot Dipped Galvanizing, Inside & Outside Electro Polish, Drawing & Expansion, Bending, Buffing

FITTINGS & FLANGES

in Hastelloy, Inconel, Monel, Duplex, Super Duplex, Stainless Steel and Carbon Steel



FORGED FITTINGS FORMS

Elbow 45° & 90° , Tee, Union, Full & Half coupling, Cross, Cap, Swage, Nipple, Plug-Bush

OUTLETS FORMS

Weldolet, Sockolet, Elbolet, Thredolet, Nipolet, Letrolet, Swepolet

FLANGES FORMS

Slip-On, Weld Neck, Socket Weld, Blind, Lap Joint, Threaded, Reducing, Spectacle, Plate, Drawing

FACES

Raised Face, Flat Face, Ring Type Joint, Long Neck

STAINLESS STEEL FITTINGS & FLANGES

| PRODUCT | TYPE | STANDARDS | GRADES | SIZE RANGE |
|--|------------------------------------|---|--|---|
| BUTT-WELD | SEAMLESS, WELDED, FABRICATED | ASTM A 403, ANSI B 16.9 | 304, 304L, 310, 316, 316L, 316Ti, 317, 321, 321H, 347, 347H, 904L | 1/8" NB TO 48" NB SCH : 5S TO XXS |
| DUPLEX STEEL BUTT-WELD FITTINGS | SEAMLESS, WELDED, FABRICATED | ASTM A 815 | UNS S31803, S32205 | - |
| FORGED FITTINGS | SOCKET WELDED & SCREWED | ASTM, ASME, SA 182 | | 1/2" NB TO 4" NB LBS : 3000, 6000, 9000 |
| OUTLETS | SOCKET WELDED & SCREWED | ASTM, ASME, SA 182 | F 304, 304L, 304H, 309S, 309H, 310S, 310H, 316, 316Ti, 316H, 316L, 317, 317L, 321, 321H, 347, 347H, 904L | 1/4" NB TO 24" NB LBS : 3000, 6000, 9000 |
| FLANGES | - | ASTM, ASME, SA 182, A-240 | | 1/2" (15 NB) TO 48" (1200NB) LBS : 150, 300, 600, 900, 1500, 2500 PN : 6, 10, 16, 25, 40, 64, 100, 160 TABLE D, E, F, H |
| FASTENERS | - | ASTM, ASME, A, SA 193/194 UNS NO.S 31083, S 32205 | B 8 (304), B 8C (SS 347), B. 8M (SS 316), B 8 T (SS 321), A2, A4 | M10 TO M100 LENGTH : Up TO 5Mtr |

CARBON STEEL FITTING & FLANGES

| PRODUCT | STANDARDS & GRADES | SIZE RANGE |
|---|---|---|
| CARBON STEEL BUTT-WELD | A-234 WPB B/W SEAMLESS, ERW ANSI B16.9 | 15 NB To 500 NB SCH : 10 TO XXS |
| CARBON STEEL FORGED FITTINGS | MSS - SP A105 | 15 NB TO 100 NB LBS : 3000, 6000, 9000 |
| FORGED ALLOY STEEL | A-420 WPL, 6 B/W WELDED, ANSI B 16.9 A-182, ANSI B 16.11 | 15 NB TO 150 NB, 200 NB TO 500 NB SCH : 10 TO 80S |
| MILD STEEL & G.I FORGED FITTINGS | IS 4310 WELDED ANSI B 16.9 (ISI MARK) | 15 NB TO 150 NB SCH : B Class & C Class 200 NB TO 500 NB THK : 6.35mm TO 8mm |
| MILD STEEL FORGED FLANGES | ANSI B 16.5, IS 2002 A105 | 15 NB TO 500 NB LBS : 150, 300, 600, 900 & 1500 Table D, E, F, H, DIN, ND-6, 10, 16, 25, 40 |
| MILD STEEL PLATE FLANGES | ANSI B 16.5 | 15 NB TO 1000 NB LBS : 150, 300, 600, 900 & 1500 Table D, E, F, H, DIN, ND-6, 10, 16, 25, 40 |
| CARBON STEEL FORGED FLANGES | A-105, ANSI B 16.5 | 15 NB TO 750 NB LBS : 150, LBS : 150, 300, 600, 900 & 1500 |
| CARBON STEEL PLATE FLANGES | A-516, GR. 60/70, IS 2062, ANSI B 16.5 | 15 NB TO 500 NB LBS : 150, 300, 600, 900 & 1500 |

ALLOY STEEL FITTINGS & FLANGES

| PRODUCT | STANDARDS & GRADES | SIZE RANGE |
|--------------------------------------|--|---|
| ALLOY STEEL FITTINGS | ASTM A 182, Gr : F1/F5/F9/F11/F22/F91 | 1/4" NB TO 100 NB LBS : 3000, 6000, 9000 |
| NICKEL ALLOY OUTLETS | ASTM / ASME SB 564/160/472 GR : NICKEL 200, NICKEL 201, MONEL 400, ALLOY 20 / 20 CB 3, INCONEL 825, INCONEL 600, INCONEL 601, INCONEL 625, HASTELLOY C 276 | 1/4" NB TO 24 NB LBS : 3000, 6000, 9000 |
| ALLOY STEEL BUTT-WELD FITTING | ASTM / ASME A/SA 234 Gr : WP 1, WP 5, W P9, WP 11, WP 12, WP 22, WP 23, WP 91 | 15 NB TO 24 NB SCH : 10, 20, 40, 80, 100, 120, 160 |
| NICKEL ALLOY FITTINGS | ASTM / ASME SB 336. GR : NICKEL 200, NICKEL 201, MONEL 400, ALLOY 20 / 20 CB 3, INCONEL 825, INCONEL 600, INCONEL 601, INCONEL 625, HASTELLOY C 276 | 15 NB TO 600 NB |
| ALLOY STEEL FLANGES | ASTM / ASME A / SA 182 / A 387 Gr : F5, F9, F11, F12, F22, F91 | 15 NB TO 500 NB / 750 NB |
| NICKEL ALLOY FLANGES | ASTM / ASME SB 564 / 160 / 472 GR : NICKEL 200, NICKEL 201, MONEL 400, ALLOY 20 / 20 CB 3, INCONEL 825, INCONEL 600, INCONEL 601, INCONEL 625, HASTELLOY C 276 | 15 NB TO 500 NB / 750 NB |
| ALLOY STEEL FASTENERS | ASTM / ASME A / SA 193 / 194 Gr : B 6, B 7 / B 7M, B 16, 2, 2HM, 2H, GR 6, B 7, B 7M | M10 TO M100 LENGTH : UP TO 5Mtr |

BUTT-WELD FITTINGS FORMS

- Elbows in Long & Short Radius in 45 deg, 90 deg, 180 deg
- Equal, Unequal Tee & Barred Tee
- Eccentric Reducer & Concentric Reducer
- Caps & Crosses
- Long & Short Stub End
- Swage Nipple & Barrel Nipple



FASTENERS FORMS

BOLTS

Stud Bolts, Hex Head Bolts, Socket Hexagon Head Screw Anchor Bolts, U Bolts, J Bolts, Mushroom Head Square Neck Bolts, T - Head Bolts, Wing Screw, Eye Bolts, Foundation Bolts and Structural Bolts

WASHER

Plain Washers, Plain Big & Small OD Washer, Spring Lock Washer, Spring Washer Heavy Duty, Tooth Washer, Star Washer, Washer with One & Two Tab



NUTS

Hexagon Nuts, Hexagon Coupling Nuts, Hexagon Thin Nuts, Square Nuts, Hexagon Castle Nuts, Self Locking Nuts, Hexagon Domed Cap Nuts



SCREWS

Pan Head Slotted Screws, Cheese Head Slotted Screws, Countersunk Head Slotted Screws, Countersunk Raised Head Slotted Screws, Pan Phillips Head Slotted Screws, Countersunk Phillips Raised Head Screws, Slotted Cheese Trim Head Machine Screws, Socket Head Shoulder Screws, Socket Head Cap Screw Low Head, Hexagon Socket Set Screws With Flat Point, Hexagon Socket Set Screws With Cone Point, Hexagon Socket Set Screws With Dog Point, Hexagon Socket Set Screw With Dog Point Hexagon Socket Set Screws With Cup Point, Imperial Socket Cap Screws



ADDITIONAL SERVICES

Hot Dipped Galvanizing Epoxy & Fusion Bonded Epoxy Coating, Electro Polish, Heat Treatment, CNC Machining Threading

OUR WORK THAT REDEFINES EXCELLENCE



OXYGEN-FREE COPPER RING
FRANCE



STAINLESS STEEL PIPES
INDIA



NICKEL ALLOY ROUND BARS
INDIA



HASTELLOY SHEETS & PLATES
QATAR



INCONEL PIPES
UAE



STAINLESS STEEL COILS
THAILAND

KEEP IN TOUCH WITH US

Corporate Office: 25, Tara Bhavan, 2nd Floor, Office no. 9A,
Nanubhai Desai Road, Mumbai, India

Contact No. : 022-66362181 / +91 90825 14170

Website : www.vividsteels.com

Email ID : sales@vividsteels.com
info@vividsteels.com



DELIVERING PERFECTION, EVERY TIME
